

PERFORMANCE DATA

Compressor Model	C-SBP170H38A
Power Source	3PH 50Hz 380~415V
Suction Gas Superheat(K)	11.1
Sub Cooling(K)	8.3
Compressor Cooling	Natural Cooling
Refrigerant	R410A

**CAPACITY(W)**

Condensing Temperature(°C)	Evaporating Temperature(°C)							
	-15	-10	-6.7	0	4.4	7.2	10	12
35.0	8,340	10,080	11,420	14,710	17,380	19,330	21,490	23,180
40.5	7,650	9,250	10,480	13,510	15,970	17,760	19,750	21,310
45.0	7,120	8,610	9,760	12,590	14,890	16,560	18,420	19,870
50.0	6,570	7,950	9,020	11,640	13,760	15,310	17,030	18,380
54.4		7,410	8,410	10,860	12,840	14,290	15,900	17,160
60.0			7,690	9,940	11,760	13,090	14,570	15,730
65.0				9,200	10,890	12,120	13,490	14,570

POWER(W)

Condensing Temperature(°C)	Evaporating Temperature(°C)							
	-15	-10	-6.7	0	4.4	7.2	10	12
35.0	3,060	3,060	3,050	3,030	3,010	3,000	2,980	2,970
40.5	3,470	3,460	3,450	3,430	3,410	3,390	3,370	3,360
45.0	3,870	3,850	3,840	3,810	3,780	3,760	3,750	3,730
50.0	4,370	4,340	4,320	4,280	4,250	4,240	4,220	4,210
54.4		4,830	4,800	4,750	4,720	4,700	4,690	4,670
60.0			5,480	5,420	5,380	5,360	5,350	5,340
65.0				6,080	6,040	6,020	6,000	5,990

CURRENT(A)

@380V

Condensing Temperature(°C)	Evaporating Temperature(°C)							
	-15	-10	-6.7	0	4.4	7.2	10	12
35.0	6.2	6.2	6.2	6.1	6.1	6.1	6.1	6.1
40.5	6.8	6.8	6.8	6.8	6.7	6.7	6.7	6.7
45.0	7.4	7.4	7.4	7.3	7.3	7.3	7.2	7.2
50.0	8.1	8.1	8.1	8.0	8.0	7.9	7.9	7.9
54.4		8.8	8.7	8.7	8.6	8.6	8.6	8.5
60.0			9.6	9.6	9.5	9.5	9.5	9.4
65.0				10.4	10.4	10.4	10.3	10.3

NOTE:

* The performance values subject to change without notice.